

# PAPERMATCH® T 5346

## **Product Description**

PAPERMATCH® T 5346 is a paperlike masterbatch based in high molecular weight high density polyethylene. It contains a select choice of fillers in order to obtain a paperlike appearance and feel. PAPERMATCH® T 5346 is a white, high opacity grade designed to provide a very smooth surface texture.

# General

Material Status	Commercial: Active
Availability	North America
Uses	Masterbatch
Processing Method	Blown Film

Physical	Nominal Value (English)	Nominal Value (SI)	Test Method
Additive Content (Ash)	70.0 %	70.0 %	ASTM D5630
Specific Gravity	1.83	1.83 g/cm <sup>3</sup>	ASTM D792
Moisture Content	< 800 ppm	< 800 ppm	Internal Method

#### Usage

PAPERMATCH® T 5346 is typically recommended for use at 50% addition levels into HMW HDPE blown film applications.

# Regulatory

PAPERMATCH® T 5346 is made only from FDA recognized materials. Usage restrictions may apply. Detailed information is available upon request.

## Packaging & Storage

PAPERMATCH® T 5346 is typically packaged in foil-lined cartons or moisture barrier bags. PAPERMATCH® T 5346 can be stored for up to a maximum of 12 months at 25°C for optimum performance. Higher temperatures might reduce storage time considerably.

Page: 1 of 1 Rev. 2010-01-13